Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
M. L. Birnstiel
J. M. Bishop
C. R. Cantor
L. Caro
G. N. Cohen
D. M. Crothers
W. F. Dove
G. A. Gilbert
W. Gilbert
A. Klug
D. E. Koshland
S. Lowey
D. Nathans
D. C. Phillips
C. M. Radding
F. M. Richards
T. Staehelin
G. M. Tomkins
P. M. B. Walker
S. M. Weissman

H301
173

VOLUME 86
15 June 1974 to 15 July 1974

ACADEMIC PRESS
LONDON NEW YORK SAN FRANCISCO

Copyright © 1974, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 86

NUMBER 1, 15 JUNE 1974

ATLON, T. H. and KOCH, A. L., Unused Protein Synthetic Capacity of *Escherichia coli* Grown in Phosphate-limited Chemostats 1

SPADARI, S. and WEISSBACH, A., The Interrelation between DNA Synthesis and Various DNA Polymerase Activities in Synchronized HeLa Cells . . 11

SHIMOTOHNO, K. and MIURA, K.-I., 5′-Terminal Structure of Messenger RNA Transcribed by the RNA Polymerase of Silkworm Cytoplasmic Polyhedrosis Virus containing Double-stranded RNA 21

MIURA, K.-I., WATANABE, K. and SUGIURA, M., 5′-Terminal Nucleotide Sequences of the Double-stranded RNA of Silkworm Cytoplasmic Polyhedrosis Virus 31

CZERWINSKI, E. W. and MATHEWS, F. S., Location of the Iron Atom and the Non-crystallographic Symmetry Elements in Cytochrome b_{562}. . . . 49

BERG, D. E., Genetic Evidence for Two Types of Gene Arrangements in New λ*dv* Plasmid Mutants 59

CHOW, L. T., DAVIDSON, N. and BERG, D., Electron Microscope Study of the Structures of λ*dv* DNAs 69

LEWIS, D. G. and JOHNSON, W. C., Jr, Circular Dichroism of DNA in the Vacuum Ultraviolet 91

GAGE, L. P., Polyploidization of the Silk Gland of *Bombyx mori* . . . 97

ZAENEN, I., VAN LAREBEKE, N., TEUCHY, H., VAN MONTAGU, M. and SCHELL, J., Supercoiled Circular DNA in Crown-gall Inducing *Agrobacterium* Strains 109

JI, T. H. and JI, I., Crosslinking of Glycoproteins in Human Erythrocyte Ghosts 129

ALIX, J.-H. and HAYES, D., Properties of Ribosomes and RNA Synthesized by *Escherichia coli* Grown in the Presence of Ethionine. III. Methylated Proteins in 50 S Ribosomes of *E. coli* EA2 139

LETTERS TO THE EDITOR

MOLITOR, H., DRAHOVSKY, D. and WACKER, A., Structural Integrity of Chromatid DNA in Mouse L Cells 161

BRUNORI, M., GIARDINE, B., ANTONINI, E., BENEDETTI, P. A. and BIANCHINI, G., Distribution of the Haemoglobin Components of Trout Blood among the Erythrocytes: Observations by Single-cell Spectroscopy . 165

STÖFFLER, G., HASENBANK, R., BODLEY, J. W. and HIGHLAND, J. H., Inhibition of Protein L7/L12 Binding to 50 S Ribosomal Cores by Antibodies Specific for Proteins L6, L10 and L18 171

HIGHLAND, J. H., OCHSNER, E., GORDON, J., HASENBANK, R. and STÖFFLER, G., Inhibition of Phenylalanyl-tRNA Binding and Elongation Factor Tu dependent GTP Hydrolysis by Antibodies Specific for Several Ribosomal Proteins 175

NUMBER 2, 25 JUNE 1974

LEBERMAN, R., FINCH, J. T., GILBERT, P. F. C., WITZ, J. and KLUG, A., X-ray Analysis of the Disk of Tobacco Mosaic Virus Protein. I. Crystallization of the Protein and of a Heavy-atom Derivative 179

FINCH, J. T., GILBERT, P. F. C., KLUG, A. and LEBERMAN, R., X-ray Analysis of the Disk of Tobacco Mosaic Virus Protein. II. The Packing Arrangement in the Crystal 183

GILBERT, P. F. C. and KLUG, A., X-ray Analysis of the Disk of Tobacco Mosaic Virus Protein. III. A Low Resolution Electron Density Map . . . 193

CLARKE, M. and SPUDICH, J. A., Biochemical and Structural Studies of Actomyosin-like Proteins from Non-muscle Cells. Isolation and Characterization of Myosin from Amoebae of *Dictyostelium discoideum* . . . 209

WAKE, R. G., Termination of *Bacillus subtilis* Chromosome Replication as Visualized by Autoradiography 223

SOLL, L., Mutational Alterations of Tryptophan-specific Transfer RNA that Generate Translation Suppressors of the UAA, UAG and UGA Nonsense Codons 233

YANIV, M., FOLK, W. R., BERG, P. and SOLL, L., A Single Mutational Modification of a Tryptophan-specific Transfer RNA Permits Aminoacylation by Glutamine and Translation of the Codon UAG 245

ANDERSON, W. F., FLETTERICK, R. J. and STEITZ, T. A., Structure of Yeast Hexokinase. III. Low Resolution Structure of a Second Crystal Form showing a Different Quaternary Structure, Heterologous Interaction of Subunits and Substrate Binding 261

GROSSMAN, L. I., WATSON, R. and VINOGRAD, J., Restricted Uptake of Ethidium Bromide and Propidium Diiodide by Denatured Closed Circular DNA in Buoyant Cesium Chloride 271

HOTANI, H. and ASAKURA, S., Growth-saturation *in vitro* of *Salmonella* Flagella 285

HOY, T. G., HARRISON, P. M. and HOARE, R. J., A Tetragonal Crystal Form of Horse Spleen Apoferritin and its Relationship to the Cubic Modification . 301

LOOMIS, C. R., JANIAK, M. J., SMALL, D. M. and SHIPLEY, G. G., The Binary Phase Diagram of Lecithin and Cholesteryl Linolenate 309

JANIAK, M. J., LOOMIS, C. R., SHIPLEY, G. G. and SMALL, D. M., The Ternary Phase Diagram of Lecithin, Cholesteryl Linolenate and Water: Phase Behavior and Structure 325

Appendix 338

JOHANSSON, K.-E. and HJERTÉN, S., Localization of the Tween 20-soluble Membrane Proteins of *Acholeplasma laidlawii* by Crossed Immunoelectrophoresis 341

HOFFMANN, G. W., On the Origin of the Genetic Code and the Stability of the Translation Apparatus 349

GORSKI, J., MORRISON, M. R., MERKEL, C. G. and LINGREL, J. B., Size Heterogeneity of Polyadenylate Sequences in Mouse Globin Messenger RNA . 363

COFFIN, J. M., PARSONS, J. T., RYMO, L., HAROZ, R. K. and WEISSMANN, C., A New Approach to the Isolation of RNA–DNA Hybrids and its Application to the Quantitative Determination of Labeled Tumor Virus RNA . . 373

SIMMONS, D. T. and STRAUSS, J. H., Translation of Sindbis Virus 26 S RNA and 49 S RNA in Lysates of Rabbit Reticulocytes 397

MUTO, A., EHRESMANN, C., FELLNER, P. and ZIMMERMANN, R. A., RNA–Protein Interactions in the Ribosome. I. Characterization and Ribonuclease Digestion of 16 S RNA–Ribosomal Protein Complexes 411

ZIMMERMANN, R. A., MUTO, A. and MACKIE, G. A., RNA–Protein Interactions in the Ribosome. II. Binding of Ribosomal Proteins to Isolated Fragments of the 16 S RNA 433

LINDBERG, U. and SUNDQUIST, B., Isolation of Messenger Ribonucleoproteins from Mammalian Cells 451

MCGHEE, J. D. and VON HIPPEL, P. H., Theoretical Aspects of DNA–Protein Interactions: Co-operative and Non-co-operative Binding of Large Ligands to a One-dimensional Homogeneous Lattice 469

LETTERS TO THE EDITOR

QUIOCHO, F. A., PHILLIPS, G. N., Jr, PARSONS, R. G. and HOGG, R. W., Crystallographic Data of an L-Arabinose-binding Protein from *Escherichia coli* 491

RODGER, C. D. and TREGEAR, R. T., Crossbridge Angle when ADP is Bound to Myosin 495

NUMBER 3, 5 JULY 1974

LAKE, J. A. and LEONARD, K. R., Structure and Protein Distribution for the Capsid of *Caulobacter crescentus* Bacteriophage ϕCbK 499

ROBILLARD, G. and SHULMAN, R. G., High Resolution Nuclear Magnetic Resonance Studies of the Active Site of Chymotrypsin. I. The Hydrogen Bonded Protons of the "Charge Relay" System 519

ROBILLARD, G. and SHULMAN, R. G., High Resolution Nuclear Magnetic Resonance Studies of the Active Site of Chymotrypsin. II. Polarization of Histidine 57 by Substrate Analogues and Competitive Inhibitors . . 541

ICHIKAWA, Y. and MASON, H. S., Cytochrome P450 Associated with Free Hepatic Polyribosomes 559

KISELEV, N. A., STEL'MASCHUK, V. YA., LERMAN, M. I. and ABAKUMOVA, O. YU. On the Structure of Liver Ribosomes 577

Kiselev, N. A., Lerner, F. Ya. and Livanova, N. B., Electron Microscopy of Muscle Phosphorylase *a* 587

Schreier, A. A. and Schimmel, P. R., Interaction of Manganese with Fragments, Complementary Fragment Recombinations, and Whole Molecules of Yeast Phenylalanine Specific Transfer RNA 601

Nonomura, Y. and Kohama, K., Determination of the Absolute Hand of the Helix in the Nucleocapsid of Haemagglutinating Virus (Japan) . . 621

Tonelli, A. E., Conformational Characteristics of Polypeptides Containing Isolated L-Proline Residues with *cis* Peptide Bonds 627

Apte, B. N., Bhavsar, P. N. and Siddiqi, O., The Regulation of Aryl Sulphatase in *Aspergillus nidulans* 637

Hancock, R., Interphase Chromosomal Deoxyribonucleoprotein Isolated as a Discrete Structure from Cultured Cells 649

Privalov, P. L. and Khechinashvili, N. N., A Thermodynamic Approach to the Problem of Stabilization of Globular Protein Structure: A Calorimetric Study 665

Letter to the Editor

Morita, Y. and Asada, K., Preliminary Crystallographic Data for Spinach Superoxide Dismutase 685

Announcement 687

Number 4, 15 July 1974

Kuwano, M., Endo, H., Kamiya, T. and Hori, K., A Mutant of *Escherichia coli* Blocked in Peptide Elongation: Altered Elongation Factor Ts . 689

Hori, K., Harada, K. and Kuwano, M., Function of Bacteriophage Qβ Replicase Containing an Altered Subunit IV 699

Sharp, P. A., Pettersson, U. and Sambrook, J., Viral DNA in Transformed Cells. I. A Study of the Sequences of Adenovirus 2 DNA in a Line of Transformed Rat Cells using Specific Fragments of the Viral Genome . 709

Drake, A. F., Mason, S. F. and Trim, A. R., Optical Studies of the Base-stacking Properties of 2′-*O*-Methylated Dinucleoside Monophosphates . 727

Nikolaev, N., Schlessinger, D. and Wellauer, P. K., 30 S Pre-ribosomal RNA of *Escherichia coli* and Products of Cleavage by Ribonuclease III: Length and Molecular Weight 741

Mayer, A., Ogawa, S., Shulman, R. G., Yamane, T., Cavaleiro, J. A. S., Rocha Gonsalves, A. M. d'A., Kenner, G. W. and Smith, K. M., Assignments of the Paramagnetically Shifted Heme Methyl Nuclear Magnetic Resonance Peaks of Cyanometmyoglobin by Selective Deuteration . . 749

MEINKE, W. and GOLDSTEIN, D. A., Reassociation and Dissociation of Cytoplasmic Membrane-associated DNA 757

MURGOLA, E. J. and YANOFSKY, C., Selection for New Amino Acids at Position 211 of the Tryptophan Synthetase α Chain of *Escherichia coli*. . . . 775

CHURCH, R. L., YAEGER, J. A. and TANZER, M. L., Isolation and Partial Characterization of Procollagen Fractions Produced by a Clonal Strain of Calf Dermatosparactic Cells 785

BERK, A. J. and CLAYTON, D. A., Mechanism of Mitochondrial DNA Replication in Mouse L-cells: Asynchronous Replication of Strands, Segregation of Circular Daughter Molecules, Aspects of Topology and Turnover of an Initiation Sequence 801

PRUNELL, A. and BERNARDI, G., The Mitochondrial Genome of Wild-type Yeast Cells. IV. Genes and Spacers 825

BORER, P. N., DENGLER, B., TINOCO, I., JR and UHLENBECK, O. C., Stability of Ribonucleic acid Double-stranded Helices 843

LETTERS TO THE EDITOR

LEIGHTON, T., Sporulation-specific Translational Discrimination in *Bacillus subtilis* 855

FISKIN, A. M. and BEER, M., Errors of Site Identification Arising from Incomplete Selectivity of Markers Visualized Electron Microscopically 865

Index to Volume 86

Abakumova, O.Yu. (see also Kiselev, N. A.), 577
Acholeplasma laidlawii, localization of Tween 20-soluble membrane proteins by crossed immunoelectrophoresis, 341
Actomyosin-like proteins from non-muscle cells, biochemical and structural studies; isolation and characterization of myosin from amoebae of *Dictyostelium discoideum*, 209
Adenovirus 2 DNA sequences in a line of transformed rat cells using specific fragments of the viral genome, 709
ADP bound to myosin, crossbridge angle, 495
Agrobacterium strains, crown-gall inducing, presence of supercoiled circular DNA, 109
Alix, J.-H. & Hayes, D., Properties of ribosomes and RNA synthesized by *Escherichia coli* grown in the presence of ethionine. III. Methylated proteins in 50 S ribosomes of *E. coli* EA2, 139
Alton, T. H. & Koch, A. L., Unused protein synthetic capacity of *Escherichia coli* grown in phosphate-limited chemostats, 1
Amino acids, new, selection at position 211 of the tryptophan synthetase α chain of *Escherichia coli*, 775
Anderson, W. F., Fletterick, R. J. & Steitz, T. A., Structure of yeast hexokinase. III. Low resolution structure of a second crystal form showing a different quaternary structure, heterologous interaction of subunits and substrate binding, 261
Antonini, E. (see also Brunori, M.), 165
Apoferritin, horse spleen, relationship of tetragonal form to the cubic modification, 301
Apte, B. N., Bhavsar, P. N. & Siddiqi, O., The regulation of aryl sulphatase in *Aspergillus nidulans*, 637
L-Arabinose-binding protein from *Escherichia coli*, crystallographic data, 491
Aryl sulphatase, regulation in *Aspergillus nidulans*, 637
Asada, K. (see also Morita, Y.), 685
Asakura, S. (see also Hotani, H.), 285
Aspergillus nidulans, regulation of aryl sulphatase, 637
Autoradiography, visualization of termination of *Bacillus subtilis* chromosome replication, 223

Bacillus subtilis chromosome replication termination, as visualized by autoradiography, 223
— —, sporulation-specific translational discrimination, 855
Bacteriophage λ, electron microscope study of the structures of λ*dv* DNAs, 69
— —, new λ*dv* plasmid mutants, genetic evidence for two types of gene arrangement, 59
— φCbK, *Caulobacter crescentus*, structure and protein distribution for capsid, 499
— Qβ replicase containing an altered subunit IV, function, 699
Base-stacking properties of 2′-*O*-methylated dinucleoside monophosphates, optical studies, 727
Beer, M. (see also Fiskin, A. M.), 865
Benedetti, P. A. (see also Brundri, M.), 165
Berg, D. E., Genetic evidence for two types of gene arrangements in new λ*dv* plasmid mutants, 59
— (see also Chow, L. T.), 69
Berg, P. (see also Yaniv, M.), 245
Berk, A. J. & Clayton, D. A., Mechanism of mitochondrial DNA replication in mouse L-cells: asynchronous replication of strands, segregation of circular daughter molecules, aspects of topology and turnover of an initiation sequence, 801
Bernardi, G. (see also Prunell, A.), 825
Bhavsar, P. N. (see also Apte, B. N.), 637
Bianchini, G. (see also Brunori, M.), 165
Binary phase diagram of lecithin and cholesteryl linolenate, 309
Binding, co-operative and non-co-operative, of large ligands to a one-dimensional homogeneous lattice, theoretical aspects of DNA–protein interactions, 469
— of protein L7/L12 to 50 S ribosomal cores, inhibition by antibodies specific for proteins L6, L10 and L18, 171
— — ribosomal proteins to isolated fragments of 16 S RNA, 433
—, phenylalanyl-tRNA, and elongation factor Tu-dependent GTP hydrolysis, inhibition by antibodies specific for several ribosomal proteins, 175

Bodley, J. W. (see also Stöffler, G.), 171
Bombyx mori, polyploidization of silk gland, 97
Borer, P. N., Dengler, B., Tinoco, I., Jr & Uhlenbeck, O. C., Stability of ribonucleic acid double-stranded helices, 843
Brunori, M., Giardine, B., Antonini, E., Benedetti, P. A. & Bianchini, G., Distribution of the haemoglobin components of trout blood among the erythrocytes: observations by single-cell spectroscopy, 165

Calf dermatosparactic cells, isolation and partial characterization of procollagen fractions produced by a clonal strain, 785
Capsid of *Caulobacter crescentus* bacteriophage ϕCbK, structure and protein distribution, 499
Caulobacter crescentus bacteriophage ϕCbK capsid, structure and protein distribution, 499
Cavaleiro, J. A. S. (see also Mayer, A.), 749
Cesium chloride, buoyant, restricted uptake of ethidium bromide and propidium diiodide by denatured closed circular DNA, 271
Charge relay system of hydrogen-bonded protons at active site of chymotrypsin, 519
Cholesteryl linolenate and lecithin binary phase diagram, 309
— —, lecithin and water ternary phase diagram: phase behavior and structure, 325
Chow, L. T., Davidson, N. & Berg, D., Electron microscope study of the structures of λdv DNAs, 69
Chromatid DNA, structural integrity in mouse L cells, 161
Chromosomal deoxyribonucleoprotein, interphase, isolated as a discrete structure from cultured cells, 649
Church, R. L., Yaeger, J. A. & Tanzer, M. L., Isolation and partial characterization of procollagen fractions produced by a clonal strain of calf dermatosparactic cells, 785
Chymotrypsin active site, high resolution NMR studies. I. Hydrogen bonded protons of "charge relay" system, 519
— — — — — — — II. Polarization of histidine 57 by substrate analogues and competitive inhibitors, 541
Circular dichroism of DNA in the vacuum ultraviolet, 91
Clarke, M. & Spudich, J. A., Biochemical and structural studies of actomyosin-like proteins from non-muscle cells. Isolation and characterization of myosin from amoebae of *Dictyostelium discoideum*, 209
Clayton, D. A. (see also Berk, A. J.), 801
Cleavage by ribonuclease III of 30 S pre-ribosomal RNA of *Escherichia coli*, 741
Codon UAG, translation by a single mutational modification of a tryptophan-specific tRNA permitting aminoacylation by glutamine, 245
Codons, nonsense, UAA, UAG and UGA, translation suppressors generated by mutational alterations of tryptophan-specific tRNA, 233
Coffin, J. M., Parsons, J. T., Rymo, L., Haroz, R. K. & Weissman, C., A new approach to the isolation of RNA–DNA hybrids and its application to the quantitative determination of labeled tumor virus RNA, 373
Conformational characteristics of polypeptides containing isolated L-proline residues with *cis* peptide bonds, 627
Crossbridge angle when ADP is bound to myosin, 495
Crosslinking of glycoproteins in human erythrocyte ghosts, 129
Crown-gall inducing *Agrobacterium* strains, presence of supercoiled circular DNA, 109
Crystal form, tetragonal, of horse spleen apoferritin and its relationship to the cubic modification, 301
— packing of tobacco mosaic virus protein disks, from X-ray analysis, 183
Crystallization of tobacco mosaic virus protein and of a heavy-atom derivative for use in X-ray analysis, 179
Crystallographic data of an L-arabinose-binding protein from *Escherichia coli*, 491
— —, preliminary, for spinach superoxide dismutase, 685
Cyanometmyoglobin, assignments of the paramagnetically shifted heme methyl NMR peaks by selective deuteration, 749
Cytochrome b_{562}, location of the iron atom and the non-crystallographic symmetry elements, 49
— P450 associated with free hepatic polyribosomes, 559
Cytoplasmic membrane-associated DNA, reassociation and dissociation, 757
Czerwinski, E. W. & Mathews, F. S., Location of the iron atom and the non-crystallographic symmetry elements in cytochrome b_{562}, 49

Davidson, N. (see also Chow, L. T.), 69
Dengler, B. (see also Borer, P. N.), 843
Deoxyribonucleic acid, adenovirus 2, sequences in a line of transformed rat cells using specific fragments of the viral genome, 709
— —, chromatid, structural integrity in mouse L cells, 161
— —, circular dichroism in the vacuum ultraviolet, 91
— —, denatured closed circular, restricted uptake of ethidium bromide and propidium diiodide in buoyant cesium chloride, 271
— —, interrelation between DNA synthesis and various DNA polymerase activities in synchronized HeLa cells, 11
— —, mechanism of mitochondrial DNA replication in mouse L cells: asynchronous replication of strands, segregation of circular daughter molecules, aspects of topology and turnover of an initiation sequence, 801
— —, membrane-associated, cytoplasmic, reassociation and dissociation, 757
— — –protein interactions, theoretical aspects: co-operative and non-co-operative binding of large ligands to a one-dimensional homogeneous lattice, 469
— — –RNA hybrids, a new approach to their isolation and its application to the quantitative determination of labeled tumor virus RNA, 373
— —, supercoiled circular, in crown-gall inducing *Agrobacterium* strains, 109
— acids, *λdv*, electron microscope study of structures, 69
Deoxyribonucleoprotein, interphase chromosomal, isolated as a discrete structure from cultured cells, 649
Dermatosparactic cells, calf, isolation and partial characterization of procollagen fractions produced by a clonal strain, 785
Deuteration, selective, use in assignments of paramagnetically shifted heme methyl NMR peaks of cyanometmyoglobin, 749
Dictyostelium discoideum amoebae, isolation and characterization of myosin, 209
Dinucleoside monophosphates, 2′-*O*-methylated, optical studies of the base-stacking properties, 727
Dissociation and reassociation of cytoplasmic membrane-associated DNA, 757
Drahovsky, D. (see also Molitor, H.), 161
Drake, A. F., Mason, S. F. & Trim, A. R., Optical studies of the base-stacking properties of 2′-*O*-methylated dinucleoside monophosphates, 727

Ehresmann, C. (see also Muto, A.), 411
Electron density map at 7 Å resolution of a second crystal form of yeast hexokinase, 261
— — —, low resolution, of the disk of tobacco mosaic virus protein, from X-ray analysis, 193
— microscope study of the structures of *λdv* DNAs, 69
— microscopic visualization of markers, errors of site identification arising from incomplete selectivity, 865
— microscopy of muscle phosphorylase *a*, 587
Elongation factor Ts altered in mutant of *Escherichia coli* blocked in peptide elongation, 689
— — Tu-dependent GTP hydrolysis and phenylalanyl-tRNA binding, inhibition by antibodies specific for several ribosomal proteins, 175
Endo, H. (see also Kuwano, M.), 689
Erythrocyte, human, ghosts, crosslinking of glycoproteins, 129
Erythrocytes, distribution of the haemoglobin components for trout blood: observations by single-cell spectroscopy, 165
Escherichia coli, crystallographic data of an L-arabinose-binding protein, 491
— — EA2 grown in presence of ethionine, methylated proteins in 50 S ribosomes, 139
— — mutant blocked in peptide elongation: altered elongation factor Ts, 689
— — 30 S pre-ribosomal RNA and products of cleavage by ribonuclease III: length and molecular weight, 741
— —, selection for new amino acids at position 211 of the tryptophan synthetase α chain, 775
— —, unused protein synthetic capacity when grown in phosphate-limited chemostats, 1
Ethidium bromide and propidium diiodide, restricted uptake by denatured closed circular DNA in buoyant cesium chloride, 271
Ethionine, effect on methylated proteins in 50 S ribosomes of *Escherichia coli* EA2, 139

Fellner, P. (see also Muto, A.), 411
Finch, J. T., Gilbert, P. F. C., Klug, A. & Leberman, R., X-ray analysis of the disk of tobacco mosaic virus protein. II. The packing arrangement in the crystal, 183
— (see also Leberman, R.), 179

Fiskin, A. M. & Beer, M., Errors of site identification arising from incomplete selectivity of markers visualized electron microscopically, 865
Flagella of *Salmonella*, growth-saturation *in vitro*, 285
Fletterick, R. J. (see also Anderson, W. F.), 261
Folk, W. R. (see also Yaniv, M.), 245

Gage, L. P., Polyploidization of the silk gland of *Bombyx mori*, 97
Gene arrangements, genetic evidence for two types in new *λdv* plasmid mutants, 59
Genes and spacers in the mitochondrial genome of wild-type yeast cells, 825
Genetic code origin and the stability of the translation apparatus, 349
— evidence for two types of gene arrangements in new *λdv* plasmid mutants, 59
Giardine, B. (see also Brunori, M.), 165
Gilbert, P. F. C. & Klug, A., X-ray analysis of the disk of tobacco mosaic virus protein. III. A low resolution electron density map, 193
— (see also Finch, J. T.), 183
— (see also Leberman, R.), 179
Globular protein strucure stabilization, a thermodynamic study, 665
Glycoproteins, crosslinking in human erythrocyte ghosts, 129
Goldstein, D. A. (see also Meinke, W.), 757
Gordon, J. (see also Highland, J. H.), 175
Gorski, J., Morrison, M. R., Merkel, C. G. & Lingrel, J. B., Size heterogeneity of polyadenylate sequences in mouse globin messenger RNA, 363
Grossman, L. I., Watson, R. & Vinograd, J., Restricted uptake of ethidium bromide and propidium diiodide by denatured closed circular DNA in buoyant cesium chloride, 271
Growth-saturation *in vitro* of *Salmonella* flagella, 285
GTP hydrolysis, elongation factor Tu-dependent, and phenylalanyl-tRNA binding, inhibition by antibodies specific for several ribosomal proteins, 175

Haemagglutinating virus (Japan), determination of the absolute hand of helix in the nucleocapsid, 621
Haemoglobin components of trout blood among the erythrocytes, determination of distribution by single-cell spectroscopy, 165
Hancock, R., Interphase chromosomal deoxyribonucleoprotein isolated as a discrete structure from culture cells, 649
Hand, absolute, of helix in the nucleocapsid of haemagglutinating virus (Japan), 621
Harada, K. (see also Hori, K.), 699
Haroz, R. K. (see also Coffin, J. M.), 373
Harrison, P. M. (see also Hoy, T. G.), 301
Hasenbank, R. (see also Highland, J. H.), 175
— (see also Stöffler, G.), 171
Hayes, D. (see also Alix, J.-H.), 139
HeLa cells, synchronized, the interrelation between DNA synthesis and various DNA polymerase activities, 11
Heme methyl NMR peaks, paramagnetically shifted, of cyanometmyoglobin, assignments by selective deuteration, 749
Hepatic polyribosomes, free, cytochrome P450 content, 559
Hexokinase, yeast (see Yeast), 261
Highland, J. H., Ochsner, E., Gordon, J., Hasenbank, R. & Stöffler, G., Inhibition of phenylalanyl-tRNA binding and elongation factor Tu-dependent GTP hydrolysis by antibodies specific for several ribosomal proteins, 175
— (see also Stöffler, G.), 171
Histidine 57 polarization by substrate analogues and competitive inhibitors; high resolution NMR studies of active site of chymotrypsin, 541
Hjertén, S. (see also Johansson, K.-E.), 341
Hoare, R. J. (see also Hoy, T. G.), 301
Hoffman, G. W., On the origin of the genetic code and the stability of the translation apparatus, 349
Hogg, R. W. (see also Quiocho, F. A.), 491
Hori, K., Harada, K. & Kuwano, M., Function of bacteriophage Qβ replicase containing an altered subunit IV, 699
— (see also Kuwano, M.), 689

Horse spleen apoferritin, relationship of tetragonal crystal form to the cubic modification, 301
Hotani, H. & Asakura, S., Growth-saturation *in vitro* of *Salmonella* flagella, 285
Hoy, T. G., Harrison, P. M. & Hoare, R. J., A tetragonal crystal form of horse spleen apoferritin and its relationship to the cubic modification, 301
Hybrids, RNA–DNA, a new approach to their isolation and its application to the quantitative determination of labeled tumor virus RNA, 373
Hydrogen-bonded protons of "charge relay" system at active site of chymotrypsin, 519

Ichikawa, Y. & Mason, H. S., Cytochrome P450 associated with free hepatic polyribosomes, 559
Immunoelectrophoresis, crossed, use in localization of the Tween 20-soluble membrane proteins of *Acholeplasma laidlawii*, 341
Interphase chromosomal deoxyribonucleoprotein isolated as a discrete structure from cultured cells, 649
Iron atom and non-crystallographic symmetry elements location in cytochrome b_{562}, 49

Janiak, M. J., Loomis, C. R., Shipley, G. G. & Small, D. M., The ternary phase diagram of lecithin, cholesterol linolenate and water: phase behavior and structure, 325
— (see also Loomis, C. R.), 309
Ji, I. (see also Ji, T. H.), 129
Ji, T. H. & Ji, I., Crosslinking of glycoproteins in human erythrocyte ghosts, 129
Johansson, K.-E. & Hjertén, S., Localization of the Tween 20-soluble membrane proteins of *Acholeplasma laidlawii* by crossed immunoelectrophoresis, 341
Johnson, W. C., Jr (see also Lewis, D. G.), 91

Kamiya, T. (see also Kuwano, M.), 689
Kenner, G. W. (see also Mayer, A.), 749
Khecinashvili, N. N. (see also Privalov, P. L.), 665
Kiselev, N. A., Lerner, F. Ya. & Livanova, N. B., Electron microscopy of muscle phosphorylase *a*, 587
—, Stel'maschuk, V. Ya., Lerman, M. I. & Abakumova, O. Yu., On the structure of liver ribosomes, 577
Klug, A. (see also Finch, J. T.), 183
— (see also Gilbert, P. F. C.), 193
— (see also Leberman, R.), 179
Koch, A. L. (see also Alton, T. H.), 1
Kohama, K. (see also Nonomura, Y.), 621
Kuwano, M., Endo, H., Kamiya, T. & Hori, K., A mutant of *Escherichia coli* blocked in peptide elongation: altered elongation factor Ts, 689
— (see also Hori, K.), 699

L cells, mouse, mechanism of mitochondrial DNA replication: asynchronous replication of strands, segregation of circular daughter molecules, aspects of topology and turnover of an initiation sequence, 801
— —, —, structural integrity of chromatid DNA, 161
λdv DNAs, electron microscope study of structures, 69
— plasmid mutants, new, genetic evidence for two types of gene arrangements, 59
Lake, J. A. & Leonard, K. R., Structure and protein distribution for the capsid of *Caulobacter crescentus* bacteriophage ϕCbK, 499
Lattice, one-dimensional homogeneous, co-operative and non-co-operative binding to large ligands; theoretical aspects of DNA-protein interactions, 469
Leberman, R., Finch, J. T., Gilbert, P. F. C., Witz, J. & Klug, A., X-ray analysis of the disk of tobacco mosaic virus protein. I. Crystallization of the protein and of a heavy-atom derivative, 179
— (see also Finch, J. T.), 183
Lecithin and cholesteryl linolenate binary phase diagram, 309
—, cholesteryl linolenate and water ternary phase diagram: phase behavior and structure, 325
Leighton, T., Sporulation-specific translational discrimination in *Bacillus subtilis*, 855
Leonard, K. R. (see also Lake, J. A.), 499
Lerman, M. I. (see also Kiselev, N. A.), 577

Lerner, F. Ya. (see also Kiselev, N. A.), 587
Lewis, D. G. & Johnson, W. C. Jr, Circular dichroism of DNA in the vacuum ultraviolet, 91
Ligands, large, co-operative and non-co-operative binding to a one-dimensional homogeneous lattice; theoretical aspects of DNA–protein interactions, 469
Lindberg, U. & Sundquist, B., Isolation of messenger ribonucleoproteins from mammalian cells, 451
Lingrel, J. B. (see also Gorski, J.), 363
Livanova, N. B. (see also Kiselev, N. A.), 587
Liver ribosomes, structure, 577
Loomis, C. R., Janiak, M. J., Small, D. M. & Shipley, G. G., The binary phase diagram of lecithin and cholesterol linolenate, 309
— (see also Janiak, M. J.), 325
Lysates of rabbit reticulocytes, use in translation of Sindbis virus 26 A RNA and 49 S RNA, 397

McGhee, J. D. & von Hippel, P. H., Theoretical aspects of DNA–protein interactions: co-operative and non-co-operative binding of large ligands to a one-dimensional homogeneous lattice, 469
Mackie, G. A. (see also Zimmermann, R. A.), 433
Mammalian cells, isolation of messenger ribonucleoproteins, 451
Manganese, interaction with fragments, complementary fragment recombinations and whole molecules of yeast phenylalanine specific tRNA, 601
Markers visualized electron microscopically, errors in site identification arising from incomplete selectivity, 865
Mason, H. S. (see also Ichikawa, Y.), 559
Mason, S. F. (see also Drake, A. F.), 727
Mathews, F. S. (see also Czerwinski, E. W.), 49
Mayer, A., Ogawa, S., Shulman, R. G., Yamane, T., Cavaleiro, J. A. S., Rocha Gonsalves, A. M. D'A., Kenner, G. W. & Smith, K. M., Assignments of the paramagnetically shifted heme methyl nuclear magnetic resonance peaks of cyanometmyoglobin by selective deuteration, 749
Meinke, W. & Goldstein, D. A., Reassociation and dissociation of cytoplasmic membrane-associated DNA, 757
Membrane proteins, Tween-20 soluble, of *Acholeplasma laidlawii*, localization by crossed immuno-electrophoresis, 341
Merkel, C. G. (see also Gorski, J.), 363
Messenger RNA transcribed by the RNA polymerase of silkworm cytoplasmic polyhedrosis virus containing double-stranded RNA, 5′-terminal structure, 21
— ribonucleoproteins from mammalian cells, isolation, 451
2′-*O*-methylated dinucleoside monophosphates, optical studies of the base-stacking properties, 727
Methylated proteins in 50 S ribosomes of *Escherichia coli* EA2 grown in the presence of ethionine, 139
Mitochondrial DNA replication mechanism in mouse L cells: asynchronous replication of strands, segregation of circular daughter molecules, aspects of topology and turnover of an initiation sequence, 801
Mitochondrial genome of wild-type yeast cells: genes and spacers, 825
Miura, K.-I., Watanabe, K. & Sugiura, M., 5′-terminal nucleotide sequences of the double-stranded RNA of silkworm cytoplasmic polyhedrosis virus, 31
— (see also Shimotohno, K.), 21
Molecular weight and length of 30 S pre-ribosomal RNA of *Escherichia coli* and products of cleavage by ribonuclease III, 741
Molitor, H., Drahovsky, D. & Wacker, A., Structural integrity of chromatid DNA in mouse L cells, 161
Morita, Y. & Asada, K., Preliminary crystallographic data for spinach superoxide dismutase, 685
Morrison, M. R. (see also Gorski, J.), 363
Mouse globin mRNA, size heterogeneity of polyadenylate sequences, 363
— L cells, mechanism of mitochondrial DNA replication: asynchronous replication of strands, segregation of circular daughter molecules, aspects of topology and turnover of an initiation sequence, 801
— — —, structural integrity of chromatid DNA, 161
Murgola, E. J. & Yanofsky, C., Selection for new amino acids at position 211 of the tryptophan synthetase *a* chain of *Escherichia coli*, 775
Muscle, non-, cells, biochemical and structural studies of actomyosin-like proteins; isolation and characterization of myosin from amoebae of *Dictyostelium discoideum*, 209
— phosphorylase *a*, electron microscopy, 587

Mutational alterations of tryptophan-specific tRNA that generate translation suppressors of the UAA, UAG and UGA nonsense codons, 233
— modification, single, of a tryptophan-specific tRNA permits aminoacylation by glutamine and translation of the codon UAG, 245
Muto, A., Ehresmann, C., Fellner, P. & Zimmermann, R. A., RNA–protein interactions in the ribosome. I. Characterization and ribonuclease digestion of 16 S RNA–ribosomal protein complexes, 411
— (see also Zimmermann, R. A.), 433
Myosin bound to ADP, crossbridge angle, 495
— from amoebae of *Dictyostelium discoideum*, isolation and characterization, 209

Nikolaev, N., Schlessinger, D. & Wellauer, P. K., 30 S pre-ribosomal RNA of *Escherichia coli* and products of cleavage by ribonuclease III: length and molecular weight, 741
Nonomura, Y. & Kohama, K., Determination of the absolute hand of the helix in the nucleocapsid of haemagglutinating virus (Japan), 621
Nucleocapsid of haemagglutinating virus (Japan), determination of the absolute hand of the helix, 621
Nuclear magnetic resonance, assignments of the paramagnetically shifted heme methyl NMR peaks of cyanometmyoglobin by selective deuteration, 749
— — —, high resolution, studies of active site of chymotrypsin. I. Hydrogen-bonded protons of "charge relay" system, 519
— — — — — — — — — — II. Polarization of histidine 57 by substrate analogues and competitive inhibitors, 541
Nucleotide sequences, 5′-terminal, of the double-stranded RNA of silkworm cytoplasmic polyhedrosis virus, 31

Ochsner, E. (see also Highland, J. H.), 175
Ogawa, S. (see also Mayer, A.), 749
Optical studies of the base-stacking properties of 2′-*O*-methylated dinucleoside monophosphates, 727

ϕCbK (see Bacteriophage), 499
Parsons, J. T. (see also Coffin, J. M.), 373
Parsons, R. G. (see also Quicho, F. A.), 491
Peptide bonds, *cis*, in isolated L-proline residues, conformational characteristics of polypeptides, 627
—— elongation, mutant of *Escherichia coli* blocked: altered elongation factor Ts, 689
Pettersson, U. (see also Sharp, P. A.), 709
Phenylalanine-specific tRNA of yeast, interaction of manganese with fragments, complementary fragment recombinations, and whole molecules, 601
Phenylalanyl-tRNA binding and elongation factor Tu-dependent GTP hydrolysis, inhibition by antibodies specific for several ribosomal proteins, 175
Phillips, G. N., Jr (see also Quiocho, F. A.), 491
Phosphate-limited chemostats, unused protein synthetic capacity of *Escherichia coli*, 1
Phosphorylase *a*, muscle, electron microscopy, 587
Plasmid mutants, λdv, new, genetic evidence for two types of gene arrangements, 59
Polyadenylate sequences, size heterogeneity in mouse globin mRNA, 363
Polymerase activities in synchronized HeLa cells, interrelation with DNA synthesis, 11
—, RNA, of silkworm cytoplasmic polyhedrosis virus containing double-stranded RNA, transcription of mRNA, 5′-terminal structure, 21
Polypeptides containing isolated L-proline residues with *cis* peptide bonds, conformational characteristics, 627
Polyploidization of the silk gland of *Bombyx mori*, 97
Polyribosomes, hepatic, free, cytochrome P450 content, 559
Privalov, P. L. & Khechinashvili, N. N., A thermodynamic approach to the problem of stabilization of globular protein structure: a calorimetric study, 665
Procollagen fractions produced by a clonal strain of calf dermatosparactic cells, isolation and partial characterization, 785
L-Proline residues, isolated, with *cis* peptide bonds, conformational characteristics of polypeptides, 627
Propidium diiodide and ethidium bromide, restricted uptake by denatured closed circular DNA in buoyant cesium chloride, 271

Protein complexes with 16 S ribosomal RNA, characterization and ribonuclease digestion, 411
— –DNA interactions, theoretical aspects: co-operative and non-co-operative binding of large ligands to a one-dimensional homogeneous lattice, 469
— L7/L12 binding to 50 S ribosomal cores, inhibition by antibodies specific for proteins L6, L10 and L18, 171
— synthetic capacity, unused, of *Escherichia coli* grown in phosphate-limited chemostats, 1
Proteins, ribosomal, binding to isolated fragments of 16 S RNA, 433
— —, specific antibodies inhibit phenylalanyl-tRNA binding and elongation factor Tu-dependent GTP hydrolysis, 175
Prunell, A. & Bernardi, G., The mitochondrial genome of wild-type yeast cells. IV. Genes and spacers, 825

Qβ (see Bacteriophage), 699
Quiocho, F. A., Phillips, G. N., Jr, Parsons, R. G. & Hogg, R. W., Crystallographic data of an L-arabinose-binding protein from *Escherichia coli*, 491

Rabbit reticulocytes, translation of Sindbis virus 26 S RNA and 49 S RNA in lysates, 397
Rat cells, transformed line, study of the sequences of adenovirus 2 DNA using specific fragments of the viral genome, 709
Reassociation and dissociation of cytoplasmic membrane-associated DNA, 757
Regulation of aryl sulphatase in *Aspergillus nidulans*, 637
Replication mechanism of mitochondrial DNA in mouse L cells: asynchronous replication of strands, segregation of circular daughter molecules, aspects of topology and turnover of an initiation sequence, 801
— of *Bacillus subtilis* chromosome, termination as visualized by autoradiography, 223
Reticulocytes, rabbit, lysates, use in translation of Sindbis virus 26 S RNA and 49 S RNA, 397
Ribonuclease III cleavage of 30 S pre-ribosomal RNA of *Escherichia coli*, 741
— digestion and characterization of 16 S RNA-ribosomal protein complexes, 411
Ribonucleic acid, double-stranded, 5′-terminal nucleotide sequences of silkworm cytoplasmic polyhedrosis virus, 31
— — –DNA hybrids, a new approach to their isolation and its application to the quantitative determination of labeled tumor virus RNA, 373
— —, inhibition of phenylalanyl-tRNA binding and elongation factor Tu-dependent GTP hydrolysis by antibodies specific for several ribosomal proteins, 175
— —, interaction of manganese with fragments, complementary fragment recombinations, and whole molecules of yeast phenylalanine specific tRNA, 601
— — polymerase of silkworm cytoplasmic polyhedrosis virus containing double-stranded RNA, transcription of mRNA, 5′-terminal structure, 21
— —, 16 S, binding of ribosomal proteins to isolated fragments, 433
— —, 16 S-ribosomal protein complexes, characterization and ribonuclease digestion, 411
— —, 30 S pre-ribosomal, of *Escherichia coli* and products of cleavage by ribonuclease III: length and molecular weight, 741
— —, size heterogeneity of polyadenylate sequences in mouse globin mRNA, 363
— —, stability of double-stranded helices, 843
— —, translation of Sindbis virus 26 S RNA and 49 S RNA in lysates of rabbit reticulocytes, 397
— —, tryptophan-specific transfer, mutational alterations generate translation suppressors of UAA, UAG and UGA nonsense codons, 233
— — — — —, single mutational modification permits aminoacylation by glutamine and translation of the codon UAG, 245
Ribonucleoproteins, messenger, from mammalian cells, isolation, 451
Ribosomal protein complexes with 16 S RNA, characterization and ribonuclease digestion, 411
— proteins, binding to isolated fragments of 16 S RNA, 433
— —, several, specific antibodies inhibit phenylalanyl-tRNA binding and elongation factor Tu-dependent GTP hydrolysis, 175
— 50 S cores, inhibition of protein L7/L12 binding by antibodies specific for proteins L6, L10 and L18, 171
Ribosomes of liver, structure, 577
—, 50 S, of *Escherichia coli* EA2, effect of growth in presence of ethionine on methylated proteins, 139
Robillard, G. & Shulman, R. G., High-resolution nuclear magnetic resonance studies of the active site of chymotrypsin. I. The hydrogen-bonded protons of the "charge relay" system, 519

Robillard, G. & Shulman, R. G., High-resolution nuclear magnetic resonance studies of the active site of chymotrypsin. II. Polarization of histidine 57 by substrate analogues and competitive inhibitors, 541
Rocha Gonsalves, A. M. D'A. (see also Mayer, A.), 749
Rodger, C. D. & Tregear, R. T., Crossbridge angle when ADP is bound to myosin, 495
Rymo, L. (see also Coffin, J. M.), 373

Salmonella flagella, growth-saturation *in vitro*, 285
Sambrook, J. (see also Sharp, P. A.), 709
Schell, J. (see also Zaenen, I.), 109
Schimmel, P. R. (see also Schreier, A. A.), 601
Schlessinger, D. (see also Nikolaev, N.), 741
Schreier, A. A. & Schimmel, P. R., Interaction of manganese with fragments, complementary fragment recombinations, and whole molecules of yeast phenylalanine specific transfer RNA, 601
Sharp, P. A., Pettersson, U. & Sambrook, J., Viral DNA in transformed cells. I. A study of the sequences of adenovirus 2 DNA in a line of transformed rat cells using specific fragments of the viral genome, 709
Shimotohno, K. & Miura, K.-I., 5′-Terminal structure of messenger RNA transcribed by the RNA polymerase of silkworm cytoplasmic polyhedrosis virus containing double-stranded RNA, 21
Shipley, G. G. (see also Janiak, M. J.), 325
— (see also Loomis, C. R.), 309
Shulman, R. G. (see also Mayer, A.), 749
— (see also Robillard, G.), 519, 541
Siddiqi, O. (see also Apte, B. N.), 637
Silk gland of *Bombyx mori*, polyploidization, 97
Silkworm cytoplasmic polyhedrosis virus containing double-stranded RNA, 5′-terminal structure of mRNA transcribed by the RNA polymerase, 21
— — — —, 5′-terminal nucleotide sequences of the double-stranded RNA, 31
Simmons, D. T. & Strauss, J. H., Translation of Sindbis virus 26 S RNA and 49 S RNA in lysates of rabbit reticulocytes, 397
Sindbis virus (see Virus), 397
Single-cell spectroscopic observations of the distribution of haemoglobin components of trout blood among the erythrocytes, 165
Site identification errors arising from incomplete selectivity of markers visualized electron microscopically, 865
Small, D. M. (see also Janiak, M. J.), 325
— (see also Loomis, C. R.), 309
Smith, K. M. (see also Mayer, A.), 749
Soll, L., Mutational alterations of tryptophan-specific transfer RNA that generate translation suppressors of the UAA, UAG and UGA nonsense codons, 233
— (see also Yaniv, M.), 245
Spacers and genes in the mitochondrial genome of wild-type yeast cells, 825
Spadari, S. & Weissbach, A., The interrelation between DNA synthesis and various DNA polymerase activities in synchronized HeLa cells, 11
Spinach superoxide dismutase, preliminary crystallographic data, 685
Sporulation-specific translational discrimination in *Bacillus subtilis*, 855
Spudich, J. A. (see also Clarke, M.), 209
Stability of ribonucleic acid double-stranded helices, 843
Steitz, T. A. (see also Anderson, W. F.), 261
Stel'maschuk, V. Ya. (see also Kiselev, N. A.), 577
Stöffler, G., Hasenbank, R., Bodley, J. W. & Highland, J. H., Inhibition of protein L7/L12 binding to 50 S ribosomal cores by antibodies specific for proteins L6, L10 and L18, 171
— (see also Highland, J. H.), 175
Strauss, J. H. (see also Simmons, D. T.), 397
Structural integrity of chromatid DNA in mouse L cells, 161
Sugiura, M. (see also Miura, K.-I.), 31
Sundquist, B. (see also Lindberg, U.), 451
Supercoiled circular DNA in crown-gall inducing *Agrobacterium* strains, 109
Superoxide dismutase of spinach, preliminary crystallographic data, 685
Suppressors, translation, of UAA, UAG and UGA nonsense codons, generated by mutational alterations of tryptophan-specific tRNA, 233

Tanzer, M. L. (see also Church, R. L.), 785
5′-Terminal nucleotide sequences of the double-stranded RNA of silkworm cytoplasmic polyhedrosis virus, 31
— structure of messenger RNA transcribed by the RNA polymerase of silkworm cytoplasmic polyhedrosis virus containing double-stranded RNA, 21
Termination of *Bacillus subtilis* chromosome replication as visualized by autoradiography, 223
Ternary phase diagram of lecithin, cholesteryl linolenate and water: phase behavior and structure, 325
Teuchy, H. (see also Zaenen, I.), 109
Thermodynamic approach to the problem of stabilization of globular protein structure: a calorimetric study, 665
Tinoco, I., Jr (see also Borer, P. N.), 843
Tobacco mosaic virus (see Virus), 179, 183, 193
Tonelli, A. E., Conformational characteristics of polypeptides containing isolated L-proline residues with *cis* peptide bonds, 627
Transformed cells, study of the sequences of adenovirus 2 DNA in a line of transformed rat cells using specific fragments of the viral genome, 709
Translation apparatus stability and the origin of the genetic code, 349
— of codon UAG by single mutational modification of a tryptophan-specific tRNA permitting aminoacylation by glutamine, 245
— — Sindbis virus 26 S RNA and 49 S RNA in lysates of rabbit reticulocytes, 397
— suppressors of UAA, UAG and UGA nonsense codons, generated by mutational alterations of tryptophan-specific tRNA, 233
Translational discrimination, sporulation-specific, in *Bacillus subtilis*, 855
Tregear, R. T. (see also Rodger, C. D.), 495
Trim, A. R. (see also Drake, A. F.), 727
Trout blood, distribution of the haemoglobin components among the erythrocytes: observations by single-cell spectroscopy, 165
Tryptophan-specific tRNA, mutational alterations generate translation suppressors of UAA, UAG and UGA nonsense codons, 233
— — —, single mutational modification permits aminoacylation by glutamine and translation of the codon UAG, 245
— synthetase *a* chain of *Escherichia coli*, selection for new amino acids at position 211, 775
Tumor virus RNA (see Virus), 373
Tween 20-soluble membrane proteins of *Acholeplasma laidlawii*, localization by crossed immunoelectrophoresis, 341

Uhlenbeck, O. C. (see also Borer, P. N.), 843
Ultraviolet, vacuum, circular dichroism of DNA, 91

Van Larebeke, N. (see also Zaenen, I.), 109
Van Montagu, M. (see also Zaenen, I.), 109
Vinograd, J. (see also Grossman, L. I.), 271
Virus, function of bacteriophage Qβ replicase containing an altered subunit IV, 699
—, haemagglutinating (Japan), determination of the absolute hand of helix in the nucleocapsid, 621
—, silkworm cytoplasmic polyhedrosis, containing double-stranded RNA, 5′-terminal structure of mRNA transcribed by the RNA polymerase, 21
— — — —, 5′-terminal nucleotide sequences of the double-stranded RNA, 31
—, Sindbis, 26 S RNA and 49 S RNA, translation in lysates of rabbit reticylocytes, 397
—, study of the sequences of adenovirus 2 DNA in a line of transformed rat cells using specific fragments of the viral genome, 709
—, tobacco mosaic, protein, X-ray analysis of the disk, 179, 183, 193
— tumor RNA, labeled, quantitative determination using a new approach to the isolation of RNA–DNA hybrids, 373
von Hippel, P. H. (see also McGhee, J. D.), 469

Wacker, A. (see also Molitor, H.), 161
Wake, R. G., Termination of *Bacillus subtilis* chromosome replication as visualized by autoradiography, 223
Watanabe, K. (see also Miura, K.-I.), 31

Watson, R. (see also Grossman, L. I.), 271
Weissbach, A. (see also Spadari, S.), 11
Weissman, C. (see also Coffin, J. M.), 373
Wellauer, P. K. (see also Nikolaev, N.), 741
Witz, J. (see also Leberman, R.), 179

X-ray analysis of the disk of tobacco mosaic virus protein, 179, 183, 193

Yaeger, J. A. (see also Church, R. L.), 785
Yamane, T. (see also Mayer, A.), 749
Yaniv, M., Folk, W. R., Berg, P. & Soll, L., A single mutational modification of a tryptophan-specific transfer RNA permits aminoacylation by glutamine and translation of the codon UAG, 245
Yanofsky, C. (see also Murgola, E. J.), 775
Yeast hexokinase, low-resolution structure of a second crystal form showing a different quaternary structure, heterologous interaction of subunits and substrate binding, 261
— phenylalanine specific tRNA, interaction of manganese with fragments, complementary fragment recombinations and whole molecules, 601
—, wild-type, cells, genes and spacers in the mitochondrial genome, 825

Zaenen, I., van Larebeke, N., Teuchy, H., van Montagu, M. & Schell, J., Supercoiled circular DNA in crown-gall inducing *Agrobacterium* strains, 109
Zimmermann, R. A., Muto, A. & Mackie, G. A., RNA-protein interactions in the ribosome. II. Binding of ribosomal proteins to isolated fragments of the 16 S RNA, 433
— (see also Muto, A.), 411